





Open Data

Was heisst „Feuerhöhe“
auf Englisch ?



Was heisst „Feuerhöhe“
auf Englisch ?





Was heisst „Feuerhöhe“

auf Englisch ?





Hydrographic Dictionary IHO S-32



2 km²

36'000 Einwohner

78% Ausländer

35 Banken


12 Hotels

50'000 €/m²

Palast

IHO







INTERNATIONAL HYDROGRAPHIC ORGANIZATION



HYDROGRAPHIC DICTIONARY

Part I

Volume I, English

Special Publication No. 32

FIFTH EDITION

MONACO
1994


A

- 1 **abeam** In a line approximately at right angles to the ship's keel; also: the waist or middle part of the ship.
- 2 **aberration of light** In ASTRONOMY, the apparent displacement in position of a HEAVENLY BODY caused by the combination of the VELOCITY of light and that of an observer on the surface of the EARTH. Aberration of light due to the ROTATION of the EARTH on its AXIS is termed *diurnal aberration*. That due to the REVOLUTION of the EARTH around the SUN is termed *annual aberration*. In optics, failure of an OPTICAL SYSTEM to bring all LIGHT RAYS received from a point object to a single IMAGE POINT or to a prescribed geometric position. *Spherical aberration* is caused by RAYS from various zones of a LENS or MIRROR coming to FOCUS at different distances from the LENS or MIRROR. *Chromatic aberration* (or *chromatism*) is due to the differences in REFRACTION of the coloured RAYS of the SPECTRUM; those of each colour having a different FOCUS.
- 3 **abrasion** The wearing away or rounding of surfaces by friction.
- 4 **abscissa** See COORDINATES: PLANE RECTANGULAR.
- 5 **absolute accuracy** See ACCURACY: ABSOLUTE.
- 6 **absolute error** See ERROR.
- 7 **absolute orientation** See ORIENTATION.

280 Seiten
7000 Begriffe
Englisch, Französisch, Spanisch

1		abeam. In a line approximately at right angles to the ship's keel; also: the waist or middle part of the ship.
2		aberration of light. In ASTRONOMY, the apparent displacement in position of a HEAVENLY BODY caused by the combination of the VELOCITY of light and that of an observer on the surface of the EARTH. Aberration of light due to the ROTATION of the EARTH on its AXIS is termed <i>diurnal aberration</i> . That due to the REVOLUTION of the EARTH around the SUN is termed <i>annual aberration</i> . In optics, failure of an OPTICAL SYSTEM to bring all LIGHT RAYS received from a point object to a single IMAGE POINT or to a prescribed geometric position. <i>Spherical aberration</i> is caused by RAYS from various zones of a LENS or MIRROR coming to FOCUS at different distances from the LENS or MIRROR. <i>Chromatic aberration</i> (or <i>chromatism</i>) is due to the differences in REFRACTION of the coloured RAYS of the SPECTRUM; those of each colour having a different FOCUS.
3		abrasion. The wearing away or rounding of surfaces by friction.
4		abscissa. See COORDINATES: PLANE RECTANGULAR.
5		absolute accuracy. See ACCURACY: ABSOLUTE.

Design



Rules

UTF-8 only

Words only (no „;?;/&! =)

1 meaning → 1 Term

English → Master

Number → foreign key

Edit the HD

IHO Hydrographic Dictionary S-32 - Edit

Search Term or Number French Search X

Found 2 / 6819 < > X

IHO Definition

ID	2	Type	Deleted
New Number	2	Sex	
Old Number	2	Plural	Save Date
en-BE/AE		Last full check	01.01.2011

Wikipedia [Aberration of light](#)

Term aberration of light

Description In ASTRONOMY, the apparent displacement in position of a HEAVENLY BODY caused by the combination of the VELOCITY of light and that of an observer on the surface of the EARTH. Aberration of light due to the ROTATION of the EARTH on its AXIS is termed diurnal aberration. That due to the REVOLUTION of the EARTH around the SUN is termed annual aberration. In optics, failure of an OPTICAL SYSTEM to bring all LIGHT RAYS received from a point object to a single IMAGE POINT or to a prescribed geometric position. Spherical aberration is caused by RAYS from various zones of a LENS or MIRROR coming to FOCUS at different distances from the LENS or MIRROR. Chromatic aberration (or chromatism) is due to the differences in REFRACTION of the coloured RAYS of the SPECTRUM; those of each colour having a different FOCUS.

National Language French

ID	2	Type	Deleted
New Number	2	Sex	f
Old Number	2	Plural	Save Date
en-BE/AE		Last full check	

Wikipedia https://fr.wikipedia.org/wiki/Aberration_de_la_lumière

Term Aberration

Description a) En ASTRONOMIE, l'aberration est le déplacement apparent de la position d'un CORPS CÉLESTE, dû à la combinaison de la VITESSE de la lumière et de celle d'un observateur à la surface de la TERRE. L'aberration due à la ROTATION de la TERRE sur son AXE est appelée aberration diurne. Celle due à la RÉVOLUTION de la TERRE autour du SOLEIL est nommée aberration annuelle.
b) En optique, défaut affectant un SYSTÈME OPTIQUE lorsque tous les RAYONS LUMINEUX issus d'un point objet ne convergent pas exactement en un point image de position bien définie. L'aberration de sphéricité provient du fait que les RAYONS ayant utilisé des zones différentes d'une LENTILLE ou d'un MIROIR convergent à des distances différentes de cette LENTILLE ou de ce MIROIR. L'aberration chromatique provient des différences d'INDICE DE RÉFRACTION des

Save Save and set "Full checked" Exit Add new Term



Edit the HD

IHO Hydrographic Dictionary S-32 - Edit

Search Term or Number French Search X

Found 2 / 6819 < >

IHO Definition

ID	2	Type	<input type="button" value="▼"/>	Deleted	<input type="checkbox"/>
New Number	2	Sex	<input type="button" value="▼"/>		
Old Number	2	Plural	<input type="button" value="▼"/>	Save Date	<input type="text"/>
en-BE/AE		Last full check	01.01.2011		

Wikipedia [Aberration of light](#)

Term aberration of light

Description In ASTRONOMY, the apparent displacement in position of a HEAVENLY BODY caused by the combination of the VELOCITY of light and that of an observer on the surface of the EARTH. Aberration of light due to the ROTATION of the EARTH on its AXIS is termed diurnal aberration. That due to the REVOLUTION of the EARTH around the SUN is termed annual aberration. In optics, failure of an OPTICAL SYSTEM to bring all LIGHT RAYS received from a point object to a single IMAGE POINT or to a prescribed geometric position. Spherical aberration is caused by RAYS from various zones of a LENS or MIRROR coming to FOCUS at different distances from the LENS or MIRROR. Chromatic aberration (or chromatism) is due to the differences in REFRACTION of the coloured RAYS of the SPECTRUM, those of each colour having a different FOCUS.

National Language French

ID	2	Type	<input type="button" value="▼"/>	Deleted	<input type="checkbox"/>
New Number	2	Sex	<input type="button" value="▼"/>		
Old Number	2	Plural	<input type="button" value="▼"/>	Save Date	<input type="text"/>
en-BE/AE		Last full check	<input type="text"/>		

Wikipedia https://fr.wikipedia.org/wiki/Aberration_de_la_lumière

Term Aberration

Description

a) En ASTRONOMIE, l'aberration est le déplacement apparent de la position d'un CORPS CÉLESTE, dû à la combinaison de la VITESSE de la lumière et de celle d'un observateur à la surface de la TERRE. L'aberration due à la ROTATION de la TERRE sur son AXE est appelée aberration diurne. Celle due à la RÉVOLUTION de la TERRE autour du SOLEIL est nommée aberration annuelle.
b) En optique, défaut affectant un SYSTÈME OPTIQUE lorsque tous les RAYONS LUMINEUX issus d'un point objet ne convergent pas exactement en un point image de position bien définie. L'aberration de sphéricité provient du fait que les RAYONS ayant utilisé des zones différentes d'une LENTILLE ou d'un MIROIR convergent à des distances différentes de cette LENTILLE ou de ce MIROIR. L'aberration chromatique provient des différences d'INDICE DE RÉFRACTION des

Save Save and set "Full checked" Exit Add new Term

Edit the HD

IHO Hydrographic Dictionary S-32 - Edit

Search Term or Number French Search X

Found 2 / 6819 < >

IHO Definition

ID	2	Type	<input type="button" value="▼"/>	Deleted	<input type="checkbox"/>
New Number	2	Sex	<input type="button" value="▼"/>		
Old Number	2	Plural	<input type="button" value="▼"/>	Save Date	<input type="text" value=""/>
en-BE/AE		Last full check	01.01.2011		

Wikipedia [Aberration of light](#)

Term aberration of light

Description In ASTRONOMY, the apparent displacement in position of a HEAVENLY BODY caused by the combination of the VELOCITY of light and that of an observer on the surface of the EARTH. Aberration of light due to the ROTATION of the EARTH on its AXIS is termed diurnal aberration. That due to the REVOLUTION of the EARTH around the SUN is termed annual aberration. In optics, failure of an OPTICAL SYSTEM to bring all LIGHT RAYS received from a point object to a single IMAGE POINT or to a prescribed geometric position. Spherical aberration is caused by RAYS from various zones of a LENS or MIRROR coming to FOCUS at different distances from the LENS or MIRROR. Chromatic aberration (or chromatism) is due to the differences in REFRACTION of the coloured RAYS of the SPECTRUM; those of each colour having a different FOCUS.

National Language French

ID	2	Type	<input type="button" value="▼"/>	Deleted	<input type="checkbox"/>
New Number	2	Sex	<input type="button" value="▼"/>		
Old Number	2	Plural	<input type="button" value="▼"/>	Save Date	<input type="text" value=""/>
en-BE/AE		Last full check	<input type="text" value=""/>		

Wikipedia https://fr.wikipedia.org/wiki/Aberration_de_la_lumière

Term Aberration

Description

a) En ASTRONOMIE, l'aberration est le déplacement apparent de la position d'un CORPS CÉLESTE, dû à la combinaison de la VITESSE de la lumière et de celle d'un observateur à la surface de la TERRE. L'aberration due à la ROTATION de la TERRE sur son AXE est appelée aberration diurne. Celle due à la REVOLUTION de la TERRE autour du SOLEIL est nommée aberration annuelle.
b) En optique, défaut affectant un SYSTÈME OPTIQUE lorsque tous les RAYONS LUMINEUX issus d'un point objet ne convergent pas exactement en un point image de position bien définie. L'aberration de sphéricité provient du fait que les RAYONS ayant utilisé des zones différentes d'une LENTILLE ou d'un MIROIR convergent à des distances différentes de cette LENTILLE ou de ce MIROIR. L'aberration chromatique provient des différences d'INDICE DE RÉFRACTION des



Edit the HD

IHO Hydrographic Dictionary S-32 - Edit

Search Term or Number French Search X

Found 2 / 6819 < >

IHO Definition

ID	2	Type	<input type="button"/>	Deleted	<input type="checkbox"/>
New Number	2	Sex	<input type="button"/>		
Old Number	2	Plural	<input type="button"/>	Save Date	<input type="text"/>
en-BE/AE		Last full check	04.01.2011		

Wikipedia [Aberration of light](#)

Term aberration of light

Description In ASTRONOMY, the apparent displacement in position of a HEAVENLY BODY caused by the combination of the VELOCITY of light and that of an observer on the surface of the EARTH. Aberration of light due to the ROTATION of the EARTH on its AXIS is termed diurnal aberration. That due to the REVOLUTION of the EARTH around the SUN is termed annual aberration. In optics, failure of an OPTICAL SYSTEM to bring all LIGHT RAYS received from a point object to a single IMAGE POINT or to a prescribed geometric position. Spherical aberration is caused by RAYS from various zones of a LENS or MIRROR coming to FOCUS at different distances from the LENS or MIRROR. Chromatic aberration (or chromatism) is due to the differences in REFRACTION of the coloured RAYS of the SPECTRUM; those of each colour having a different FOCUS.

National Language French

ID	2	Type	<input type="button"/>	Deleted	<input type="checkbox"/>
New Number	2	Sex	<input type="button"/>		
Old Number	2	Plural	<input type="button"/>	Save Date	<input type="text"/>
en-BE/AE		Last full check	<input type="text"/>		

Wikipedia https://fr.wikipedia.org/wiki/Aberration_de_la_lumière

Term Aberration

Description

a) En ASTRONOMIE, l'aberration est le déplacement apparent de la position d'un CORPS CÉLESTE, dû à la combinaison de la VITESSE de la lumière et de celle d'un observateur à la surface de la TERRE. L'aberration due à la ROTATION de la TERRE sur son AXE est appelée aberration diurne. Celle due à la RÉVOLUTION de la TERRE autour du SOLEIL est nommée aberration annuelle.
b) En optique, défaut affectant un SYSTÈME OPTIQUE lorsque tous les RAYONS LUMINEUX issus d'un point objet ne convergent pas exactement en un point image de position bien définie. L'aberration de sphéricité provient du fait que les RAYONS ayant utilisé des zones différentes d'une LENTILLE ou d'un MIROIR convergent à des distances différentes de cette LENTILLE ou de ce MIROIR. L'aberration chromatique provient des différences d'INDICE DE RÉFRACTION des

Save Save and set "Full checked" Exit Add new Term

Edit the HD

IHO Hydrographic Dictionary S-32 - Edit

Search Term or Number French Search X

2 / 6819 ◀ ▶

IHO Definition

ID	2	Type	Deleted
New Number	2	Sex	
Old Number	2	Plural	Save Date
en-BE/AE		Last full check	01.01.2011

Wikipedia [Aberration of light](#)

Term aberration of light

Description In ASTRONOMY, the apparent displacement in position of a HEAVENLY BODY caused by the combination of the VELOCITY of light and that of an observer on the surface of the EARTH. Aberration of light due to the ROTATION of the EARTH on its AXIS is termed diurnal aberration. That due to the REVOLUTION of the EARTH around the SUN is termed annual aberration. In optics, failure of an OPTICAL SYSTEM to bring all LIGHT RAYS received from a point object to a single IMAGE POINT or to a prescribed geometric position. Spherical aberration is caused by RAYS from various zones of a LENS or MIRROR coming to FOCUS at different distances from the LENS or MIRROR. Chromatic aberration (or chromatism) is due to the differences in REFRACTION of the coloured RAYS of the SPECTRUM; those of each colour having a different FOCUS.

National Language French

ID	2	Type	Deleted
New Number	2	Sex	f
Old Number	2	Plural	Save Date
en-BE/AE		Last full check	

Wikipedia https://fr.wikipedia.org/wiki/Aberration_de_la_lumière

Term Aberration

Description a) En ASTRONOMIE, l'aberration est le déplacement apparent de la position d'un CORPS CÉLESTE, dû à la combinaison de la VITESSE de la lumière et de celle d'un observateur à la surface de la TERRE. L'aberration due à la ROTATION de la TERRE sur son AXE est appelée aberration diurne. Celle due à la RÉVOLUTION de la TERRE autour du SOLEIL est nommée aberration annuelle.
b) En optique, défaut affectant un SYSTÈME OPTIQUE lorsque tous les RAYONS LUMINEUX issus d'un point objet ne convergent pas exactement en un point image de position bien définie. L'aberration de sphéricité provient du fait que les RAYONS ayant utilisé des zones différentes d'une LENTILLE ou d'un MIROIR convergent à des distances différentes de cette LENTILLE ou de ce MIROIR. L'aberration chromatique provient des différences d'INDICE DE RÉFRACTION des

Save Save and set "Full checked" Exit Add new Term



Search

IHO Hydrographic Dictionary S-32 - Edit

Search light English Search

Found 11 / 114

IHO Definition National Language French

ID 717 Type Deleted
New Number 717 Sex
Old Number 708 Plural Save Date
en-BE/AE Last full check

ID 717 Type Deleted
New Number 717 Sex f
Old Number 708 Plural pl Save Date
Last full check

Wikipedia

Term characteristics of light Term Caractéristiques d'un feu

Description All particularities of a LIGHT, such as colour, PERIOD, group number, VISIBILITY, HEIGHT above SEA LEVEL and CHARACTER. Also called light characteristics. See also GROUP. Description Toutes les particularités d'un FEU, telles que CARACTÈRE, PORTÉE, HAUTEUR au-dessus du NIVEAU DE LA MER.

Save Save and set "Full checked" Exit Add new Term

More Languages

IHO Hydrographic Dictionary S-32 - Edit

Search Term or Number English Search X

Found 1 / 6819 < > X

IHO Definition

ID	1	Type		Deleted	<input type="checkbox"/>
New Number	1	Sex			
Old Number	1	Plural		Save Date	06.10.2016 15:
		en-BE/AE		Last full check	03.02.2016 17:

Wikipedia [Abeam](#)

Term abeam

Description In a line approximately at right angles to the ship's keel; also: the waist or middle part of the ship.

National Language

Chinese	English	English
English	German	Deutsch
German	French	Français
French	Spanish	Español
Spanish	Chinese	中文
Chinese	Classical Chinese	文言

en-BE/AE Last full check 03.02.2016 17:

Wikipedia <https://en.wikipedia.org/wiki/Abeam>

Term abeam

Description In a line approximately at right angles to the ship's keel; also: the waist or middle part of the ship.

Save Save and set "Full checked" Exit Add new Term



View the HD

IHO Hydrographic Dictionary S-32 - View

Search in Term or Number Spanish

Found 1 / 6819

IHO Definition

[Wikipedia](#) [Abeam](#)

Term abeam

Description In a line approximately at right angles to the ship's keel; also: the waist or middle part of the ship.

Type Plural
Sex en-BE/AE

National Language Spanish

Wikipedia

Term por el través

Description Dirección que forma ángulo recto con la línea de crujía del buque; también la parte central del buque.

Type Plural
Sex

Exit

Aberration of light

36 Sprachen

العربية
 বাংলা
 Беларуская
 Български
 Català
 Čeština
 Deutsch
 Eesti
 Español
 Esperanto
 Français
 Galego
 한국어
 Hrvatski
 Italiano
 עברית

Aberration of light

The aberration of light (also referred to as astronomical aberration or stellar aberration) is an astronomical phenomenon which produces an apparent motion of celestial objects about their true positions, dependent on the velocity of the observer. Aberration causes objects to appear to be angled or tilted towards the direction of motion of the observer compared to when the observer is stationary. The change in angle is typically very small — of the order of v/c where c is the speed of light and v the velocity of the observer. In the case of 'stellar' or 'annual' aberration, the apparent position of a star to an observer on Earth varies periodically over the course of a year as the Earth's velocity changes as it revolves around the Sun, by a maximum angle of approximately 20 arcseconds in right ascension or declination.

The term aberration has historically been used to refer to a number of related phenomena concerning the propagation of light in moving bodies.^[1] Aberration should not be confused with parallax. The latter is a change in the apparent position of a nearby nearby object, as measured by a moving observer, relative to more distant objects that define a reference frame. The amount of parallax depends on the distance of the object from the observer, whereas aberration does not. Aberration is also related to lighttime correction and relativistic beaming, although it is often considered separately from these effects.

Aberration is a classical effect that can be explained by the theory of special relativity. It was first observed in the late 1800s by astronomers searching for stellar parallax in order to confirm the heliocentric model of the Solar System. However, it was not understood at the time to be a different phenomenon.^[2] In 1727, James Bradley, provided a classical explanation for it in terms of the finite speed of light relative to the motion of the Earth in its orbit around the Sun.^[3] This he used to make one of the earliest measurements of the speed of light. However, Bradley's theory was incompatible with 19th century theories of light, and aberration became a major motivation for the aether drag theories of Augustin Fresnel (in 1818) and G. G. Stokes (in 1848), and for Hendrik Lorentz's aether theory of electromagnetism in 1892. The aberration of light, together with Lorentz's elaboration of Maxwell's electrodynamics, the moving magnet and conductor problem, the negative aether drift experiments, as well as the Fizeau experiment, led Albert Einstein to develop the theory of special relativity in 1905, which provided a conclusive explanation for the phenomenon.^[4]

Contents (edit)

- 1 Aberration
- 1.1 Classical explanation
- 1.2 Relativistic explanation
- 1.3 Relationship to lighttime correction and relativistic beaming
- 2 Types of aberration
- 2.1 Annual aberration
- 2.1.1 Solar annual aberration
- 2.2 Planetary aberration
- 2.3 Diurnal aberration
- 2.4 Lighttime correction
- 3 Discovery and first observations
- 3.1 Search for stellar parallax
- 3.2 James Bradley's observations
- 3.3 Early hypotheses
- 3.4 Development of the theory of aberration
- 4 Historical theories of aberration
- 4.1 Bradley's classical explanation
- 4.2 Luminiferous aether
- 4.3 Aether drag models
- 4.3.1 Uniform aether drag
- 4.3.2 Biased aether drag
- 4.4 Lorentz length contraction
- 4.5 Special relativity
- 5 See also
- 6 Notes
- 7 References
- 8 External links

Explanation (edit)

Aberration may be explained as the difference in angle of a beam of light in different inertial frames of reference. A common analogy is to consider the apparent direction of falling rain. If rain is falling vertically in the frame of reference of a person standing still, then to a person moving towards the rain will appear to arrive at an angle, requiring the moving observer to tilt their umbrella forwards. The faster the observer moves, the more tilt is needed.

The net effect is that light rays striking the moving observer from the sides in a stationary frame will come angled from ahead in the moving observer's frame. This effect is sometimes called the 'beamshift' or 'headlight effect'.

In the case of annual aberration of stars, the direction of incoming星光 as seen in the Earth's moving frame is tilted relative to the angle observed in the Sun's frame. Since the direction of motion of the Earth changes during its orbit, the direction of this tilting changes during the course of the year, and causes the apparent position of the star to differ from its true position as measured in the inertial frame of the Sun.

While classical reasoning gives intuition for aberration, it leads to a number of physical paradoxes observable even at the classical level (see history). The theory of special relativity is required to correctly account for aberration. The relativistic explanation is very similar to the classical one, however, and in both theories aberration may be understood as a case of addition of velocities.

Classical explanation (edit)

In the Sun's frame, consider a beam of light with velocity equal to the speed of light c , with x and y velocity components u_x and u_y , at an angle $\tan(\theta) = u_y/u_x$. If the Earth is moving at velocity v in the x direction relative to the Sun, then by velocity addition the x component of the beam's velocity in the Earth's frame of reference is $u'_x = u_x - v$, and the y velocity is unchanged, $u'_y = u_y$. (Note that you need the velocity of the Sun with respect to the Earth which is the negative of the velocity of the Earth with respect to the Sun. Also note that we are only using vectors here without indication of direction.) Thus the angle of the light in the Earth's frame in terms of the angle in the Sun's frame is

$$\tan(\phi) = \frac{u'_y}{u'_x} = \frac{u_y}{(u_x - v)} = \frac{\sin(\theta)}{(\cos(\theta) - v/c)}$$

In the case of $\theta = 90^\circ$, this result reduces to $\tan(\theta - \phi) = -v/c$.

Chaotic

Old

Aberration of Light

Description

Annual aberration

Chromatic aberration

Diurnal aberration

Spherical aberration

New

Aberration a) astro
Aberration b) optic

Description

Aberration annuelle

Aberration chromatique

Aberration diurne

Aberration de sphéricité

?

Fragen

1. BE: marine nature reserve
AE: marine sanctuary
2. control point (Description 1)
control point (Description 2)
3. Term-1 (Description)
Synonyme-1 of Term-1 (see: Term-1)
4. Deep scattering layer (Description)
DSL (see: deep scattering layer)
5. Herrschaft vs. Community

Wanted

Semantic Mediawiki - Spezialist

- Mehrsprachigkeit
- Verknüpfung mit



WIKIPEDIA

SVG



Markus @ OpenSeaMap.org